



TEKİNALP

MAKİNA TARIM SANAYİ

tekinalpmakinatirim.com

1 ton çift dingil

1 tons double axle



1 TON DÖRT TEKER SAMAN RÖMÖRKÜ

Ölçüler : 400 x 200 x 160

Lastik: 900/16 (11,80'de Takılabilir)

Sac Kalınlığı 2mm + 1,5 mm

Makaslı / Su Tankı

Takım Sandığı

3 Kademe Piston

1 TON FOUR WHEEL HAY TRAILER

Dimensions: 400 x 200 x 160

Tire 900/16 (Can be fitted at 11,80)

Pouch Thickness 2mm + 1.5mm

Scissor Lift / Water Tank

Team Chest

3 Stage Piston

2 Ton Dört Teker Saman Römorku

2 Ton Four Wheels
Hay Trailer



2TON DÖRT TEKER
SAMAN RÖMÖRKÜ
Ölçüler : 500 x 220 x 200
Plastik 900/16 (1180'de Takılabilir)
Sac Kalınlığı 2mm + 1,5 mm
Makaslı / Su Tankı
Takım Sandığı
4 Kademeli Piston

2 TONS FOUR WHEELS
HAY TRAILER
Dimensions: 500 x 220 x 200
Plastic 900/16 (Can Be Installed at 1180)
Sheet Thickness 2mm + 1.5mm
Scissor Lift / Water Tank
Team Chest
4 Stage Piston



3 Ton Urfa Tipi 2 Teker Römork

3 Ton Urfa Tipi
2 Tekerlekli Römork



3 TON URFA TYP

2 WHEEL TRAILER

Dimensions: 300 x 180 x 40 + 40

Massic 900/18 (

May Change According to Request)

Sheet Thickness 2mm

Without Scissors (Scissors Can Be Added) /

Water Tank

2 Stage Piston / Tool Chest

with Jack

3 TONS URFA TYPE

2 WHEEL TRAILER

Dimensions: 300 x 180 x 40 + 40

Massic 900/18 (

May Change According to Request)

Sheet Thickness 2mm

Without Scissors (Scissors Can Be Added) /

Water Tank

2 Stage Piston / Tool Chest

with Jack

4 Ton Römork

4 tons trailer



4 Ton Römork
Uzunluk:3000mm
Geniřlik 1900mm
Derinlik 500mm+300mm
2 Kademe Geriye Damperli
11.5/80-15.3 Veya 900-16 Lastikli

4 Ton Trailer
Length:3000mm
Width 1900mm
Depth 500mm+300mm
2 Stage Backward Dumper
With 11.5/80-15.3 or 900-16 Tires



4 Ton Römork

4 tons trailer



4 Ton Römork
Uzunluk:3000mm
Genişlik 1900mm
Derinlik 500mm+300mm
2 Kademe Geriye Damperli
11.5/80-15.3 Veya 900-16 Lastikli

4 Ton Trailer
Length:3000mm
Width 1900mm
Depth 500mm+300mm
2 Stage Backward Dumper
With 11.5/80-15.3 or 900-16 Tires

4 Ton Römork

4 tons trailer



4 Ton Römork
Uzunluk:3000mm
Genişlik 1900mm
Derinlik 500mm+300mm
2 Kademe Geriye Damperli
11.5/80-15.3 Veya 900-16 Lastikli

4 Ton Trailer
Length:3000mm
Width 1900mm
Depth 500mm+300mm
2 Stage Backward Dumper
With 11.5/80-15.3 or 900-16 Tires

4 Ton Römork

4 tons trailer



4 Ton Römork
Uzunluk:3000mm
Geniřlik 1900mm

Derinlik 500mm+300mm
2 Kademe Geriye Dampnerli
11.5/80-15.3 Veya 900-16 Lastikli

4 Ton Trailer
Length:3000mm
Width 1900mm

Depth 500mm+300mm
2 Stage Backward Dumper
With 11.5/80-15.3 or 900-16 Tires

5 ton çift dingil

5 tons double axle



5 Ton Römork
Uzunluk:4000mm
Genişlik 2000mm
Derinlik 500mm+300mm
3 Kademe Geriye Damperli
7-50 16 Veya 10,75-15x3 Lastikli

5 Ton Trailer
Length:4000mm
Width 2000mm
Depth 500mm+300mm
3 Stage Backward Dumper
7-50 16 or 10,75-15x3 Tires

5 ton çift dingil

5 tons double axle



5 Ton Römork
Uzunluk:4000mm
Genişlik 2000mm
Derinlik 500mm+300mm
3 Kademe Geriye Damperli
7-50 16 Veya 10,75-15x3 Lastikli

5 Ton Trailer
Length:4000mm
Width 2000mm
Depth 500mm+300mm
3 Stage Backward Dumper
7-50 16 or 10,75-15x3 Tires

5 Ton Römork

5 tons trailer



5 Ton Römork
Uzunluk:3300mm
Genişlik 2000mm
Derinlik 600mm+400mm
3 Kademe Geriye Dampırlı
11.5/80-15.3 Veya 900-16 Lastikli

5 Ton Trailer
Length:3300mm
Width 2000mm
Depth 600mm+400mm
3 Stage Backward Dumper
With 11.5/80-15.3 or 900-16 Tires

5 Ton Römork

5 tons trailer



5 Ton Römork
Uzunluk:3300mm
Genişlik 2000mm
Derinlik 600mm+400mm
3 Kademe Geriye Damperli
11.5/80-15.3 Veya 900-16 Lastikli

5 Ton Trailer
Length:3300mm
Width 2000mm
Depth 600mm+400mm
3 Stage Backward Dumper
With 11.5/80-15.3 or 900-16 Tires

5 Ton Römork

5 tons trailer



5 Ton Römork
Uzunluk:3300mm
Geniřlik 2000mm
Derinlik 600mm+400mm
3 Kademe Geriye Dampnerli
11.5/80-15.3 Veya 900-16 Lastikli

5 Ton Trailer
Length:3300mm
Width 2000mm
Depth 600mm+400mm
3 Stage Backward Dumper
With 11.5/80-15.3 or 900-16 Tires

6 Ton ift Dingil

6 tons double axle



6 Ton Rmrk
Uzunluk:4500mm
Geniřlik 2100mm
Derinlik 600mm+300mm
3 Kademe Geriye Damperli
11.5/80-15.3 Veya 900-16 Lastikli

6 Ton Trailer
Length:4500mm
Width 2100mm
Depth 600mm+300mm
3 Stage Backward Dumper
With 11.5/80-15.3 or 900-16 Tires

6 Ton Römork

6 tons trailer



6 Ton Römork
Uzunluk:3500mm
Geniřlik 2100mm

Derinlik 600mm+250+250mm
3 Kademe Geriye Damperli
11.5/80-15.3 veya 900-16 Lastikli

6 Ton Trailer
Length:3500mm
Width 2100mm

Depth 600mm+250+250mm
3 Stage Backward Dumper
With 11.5/80-15.3 or 900-16 Tires



7 Ton Çift Dingil

7 tons double axle



7TON DÖRT TEKER RÖMÖRK

Ölçüler : 450 x 220 x 50 + 30

Lastik 11.80 Dublex

(İsteğe Göre Değişebilir)

Sac Kalınlığı 2mm

14 Kat Makas / Su Tankı

Takım Sandığı / Teker Takozu

Yaylı Ok / Merdiven Baş

7 TONS FOUR WHEEL TRAILER

Dimensions: 450 x 220 x 50 + 30

Tire 11.80 Duplex

(May Change Optionally)

Sheet Thickness 2mm

14 Layers Truss / Water Tank

Tool Chest / Wheel Chock

Crossbow / Ladder Head

7 Ton Römork

7 tons trailer



7 Ton Römork

Uzunluk:4000mm

Genişlik: 2200mm

Derinlik: 600mm

+250mm+250mm

3 Kademe Geriye Dampferli

400-60 Lastikli

7 Ton Trailer

Length:4000mm

Width: 2200mm

Depth: 600mm

+250mm+250mm

3 Stage Backward Dumper

400-60 Elastic

8 Ton Römork

8 tons trailer



8 Ton Römork
Uzunluk:5000mm
Genişlik 22000mm
Derinlik600mm+250mm+250mm
4 Kademe Geriye Damperli
12,5-80-15.3 Lastikli

8 Ton Trailer
Length:5000mm
Width 22000mm
Depth600mm+250mm+250mm
4 Stage Backward Dumper
12.5-80-15.3 Elastic

8 Ton ift Dingil

8 tons double axle



8 Ton Rmrk
Uzunluk:5000mm
Geniřlik 22000mm
Derinlik600mm
+250mm+250mm
4 Kademe Geriye Damperli
12,5- 80- 15.3 Lastikli

8 Ton Trailer
Length:5000mm
Width 22000mm
Depth600mm
+250mm+250mm
4 Stage Backward Dumper
12.5- 80- 15.3 Elastic



9 Ton ift Dingil

9 tons double axle



9 TON DÖRT TEKER RÖMÖRK

Ölçüler : 500 x 220 x 70 + 40

lastik 12.80 Duplex

(İsteğe Göre Değişebilir)

Sac Kalınlığı 2mm

16 Kat Makas / Su Tankı

Teker Takozu / Takım Sandığı

Yaylı Ok / Merdiven Baş

9 TON FOUR WHEEL TRAILER

Dimensions: 500 x 220 x 70 + 40

tire 12.80 Duplex

(May Change Optionally)

Sheet Thickness 2mm

16 Layers Truss / Water Tank

Wheel Chock / Tool Chest

Crossbow / Ladder Head

10 Ton Çift Dingil

10 tons double axle



10Ton Römork
Uzunluk:5000mm
Genişlik 2200mm
Derinlik 600mm
+300mm+300mm
4 Kademe Geriye Dampnerli
400x60 15x5 Lastikli

10Ton Trailer
Length:5000mm
Width 2200mm
Depth 600mm
+300mm+300mm
4 Stage Backward Dumper
400x60 15x5 With Tire

10 Ton Çift Dingil

10 tons double axle



10Ton Römork
Uzunluk:5000mm
Genişlik 2200mm
Derinlik 600mm
+300mm+300mm
4 Kademe Geriye Dampnerli
400x60 15x5 Lastikli

10Ton Trailer
Length:5000mm
Width 2200mm
Depth 600mm
+300mm+300mm
4 Stage Backward Dumper
400x60 15x5 With Tire





Saman
Römorku

Straw
Trailer





Saman
Römorku

Straw
Trailer

Tandem Römork

Tandem Trailer



12 Ton Tandem Römork

Uzunluk:5000mm

Genişlik 2200mm

Derinlik 600mm

+300mm+300mm

4 Kademe Geriye Damperli

400x60 Lastikli

12 Ton Tandem Trailer

Length:5000mm

Width 2200mm

Depth 600mm

+300mm+300mm

4 Stage Backward Dumper

400x60 Elastic

4 ve 5 Tonluk Su Tanker

4 and 5 Ton Water Tanker



4 Veya 5 Ton Olarak Yapılır
Galvaniz Veya
Siyah Sacdan
İmal Edilebilir
2,5mm Veya
3mm Sacdan Yapılır
11,5/80 15x3 veya 9
00-18 İstik Takılabilir

Made in 4 or 5 Tones
Galvanized Or
Made of Black Sheet
Can Be Manufactured
2.5mm Or
Made from 3mm Sheet Metal
11.5/80 15x3 or 9
00-18 tires can be fitted

2,5 Tonluk Su Tanker

2.5 Ton Water Tanker



Galvaniz Ve Siyah Sacdan
Olmak Üzere

2 Çeşit Sacdan İ
mal Edilmektedir..

2-2.5-3 mm Sac
Kalınlıkta Kullanılabilir..

100 Şase Demiri

60x60 Üstten Dönmeli Krikolu

Çama Ve

Randolarla Sepereklere İle

2-2.5-3Ton Olarak Yapılabilir

Galvanized And Black Sheet
About To Be

2 Types of Sheet Metal
It is being purchased..

2-2.5-3 mm Sheet Metal
Thicker ones can be used..

100 Chassis Bars

60x60 Top Swivel Jack

cloting and

With New Tire Options

Can be made as 2-2.5-3Ton

2,5 Tonluk Su Tanker



Galvaniz Ve Siyah Sacdan
Olmak Üzere

2 Çeşit Sacdan

mal Edilmektedir.

2-2.5-3 mm Sac

Kalınlaş Kullunabilir.

100 Şase Demir

50x60 Üstün Dönerli Meeçli

Çalma ve

Yeni lastik Seçeneklerle

2-2.5-3Ton Olarak Yapılabilir

Galvanized And Black Sheet

About To Be

2 Types of Sheet Metal

It is being purchased.

2- 2.5-3 mm Sheet Metal

Thicker sheet can be used.

100 Chassis Bars

50x60 Top Swivel Jack

dating and

With New Tire Options

Can be made as 2- 2.5- 3Ton

400.60x15.5 Lastik
400.60x15.5 Tire



12.80-15x3-14
Kat Römork Lastiği
12.80-15x3-14
Floor Trailer Tire



8-15-15-Forklit
Tipi Römork Lastik
8-15-15-Forklit
Type Trailer Tire



900-16-cant
900-16-rim



15,3-Dublex Cant



550-16-Levyeli
550-16-Lever



15,5-Dublex Cant



8+ Muavin Makas

8+ Assistant Scissors



Sarı Tekerlek Takozu

Yellow Wheel Chock



Proya 7-9
Wheel 7-9



9-11 Montajlı Proya
9-11 Assembled Proya



60x60-70x70-80x80

Ayarlı Üsten Dönmeli Ayak

60x60-70x70-80x80

Adjustable Top Swivel Foot



Şanzımanlı Ayak

Gearbox Foot



750-16-Lastik
750-16-Tire



825-15-Forklift Tipi
Römork Lastığı
825-15-Forklift Type
Trailer Tire



900-16-Lastik
900-16-Tire



Baba Ve İlave Erkeđi

Father And His Additional Man



Döner Okbaşı

Doner Arrowhead



Makas Bađlan

Connect Scissors



Makas Kulađı
Scissor Ear



Makas 3n Kulađı
Scissor Front Ear



Mazot Tanker Üst Kapağı
Diesel Tanker Top Cover



Plastik su deposu 30lt
Plastic water tank 30lt



Orta Damper Menteşesi
Middle Damper Hinge



Perno



Yaylı Okbaşı
Bow Arrowhead



Zincirli Pim
Chain Pin



Santrafuj
Centrifugal





TEKİNALP

MAKİNA TARIM SANAYİ